

# **AUTOMATIC 3PHASE VOLTAGE STABILIZER**

PS-S300K3#L

**300** KVA

## **Featuress**


- ▶ Full Automatic AC servo voltage stabilizers
- ▶ Factory & Office equipment
- ▶ Air Conditioning & Motor
- ▶ Industrial Equipment



## **Technecal Specification**

- Copper to Copper connections
- Enclosures Rigid Enclosures
- Input - Output Voltage switching selector to check the Input or Output Voltage easily long lifespan
- Safe and economic usage
- Properly Ventilated & Insulated
- Resettable circuit breaker for overload protection
- High Efficiency, low loss, low rising temperature, and
- Fast Regulation

## THE OUTPUT CAPACITY LIMIT CHART AT INPUT VOLTAGE LEVEL



## Technical Specifications

TYPE	PS-S300K3#L
Rating Capacity	300 KVA
Input Voltage	260V - 430V
Output Voltage	380V $\pm$ (1 - 3%)
Number of Phases	3
Frequency	49Hz - 62Hz
Control System	Servo Motor
Ambient temperature	-5°C ~ +40°C
Dielectric Test for 60 seconds	Testing Voltage : 1.5KV Time : 60s
Insulation Resistan	More than 3 MΩ at DC 500V
Relative Humidity	%95
Dimension L x W x H	1450mm x 870mm x 2020mm
Gross weight	1185Kg